




23414 NW MORELAND PORTLAND, OREGON

SCALE: 1/16"
PRINT SIZE:
REVISIONS: -

SHEET: REV:

O.OA



PROJECT/STRUCTURAL SUMMARY:

PROPOSED FORESTRY EQUIPMENT STORAGE AND MAINTENANCE

DOLLDING.
PRE-MFR'D WOOD TRUSSES AND WOOD STUD WALL FRAMING ON CONCRETE FOUNDATIONS. SLAB ON GRADE. CONVENTIONAL SHEAR WALLS.

CODE REQUIREMENTS: CONFORM TO THE REQUIREMENTS OF THE 2014 OSSC.

DESIGN IS BASED ON THE STRENGTH AND DEFLECTION CRITERIA OF THE ABOVE-REFERENCED CODE. IN ADD-1110N TO THE DEAD LOADS, THE FOLLOWING LOADS WERE

SNOW:

Pg = 25 PSF, Pf = 16 PSF, Ce = 0.9, Is = 1.0, Ct = 1.0

ALLOWABLE SOIL BEARING: 1500 PSF

SEISMIC: RISK CAT. II, le = 1.0, SITE CLASS D

Ss = .961, S1 = .400 SDS = 0.72, SD1 = 0.43, SDC = "D" LIGHT-FRAMED SHEAR WALLS: Cs = .12, R = 6.5 EQUIV. LATERAL FORCE PROCEDURE

Vult = 125 MPH (3-SEC) Vasd = 93 MPH (3-SEC)

RISK CAT. 11

GCp1 = +/- 0.18 DESIGN ROOFING AND CLADDING FOR 30 PSF

ALL DETAIL CUTS SHOULD BE CONSIDERED TYPICAL AT LIKE CONDITIONS

WHERE ANY DISCREPANCIES OCCUR BETWEEN PLANS, DETAILS, NOTES, AND SPECIFICATIONS, THE GREATER REQUIREMENT SHALL GOVERN.

ESTABLISH AND VERIFY ALL GEOMETRY FOR ARCHITECTURAL, MECHANICAL, ELECTRICAL, AND PLUMBING CONCERNS PRIOR

THE CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS, DIMENSIONS, AND ELEVATIONS SHOWN IN THE PLANS, AND NOTIFY THE ENGINEER OF ANY DISCREPANCIES PRIOR TO STARTING WORK.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE STRUCTURAL STABILITY OF ALL NEW AND EXISTING STRUCTURES DURING CONSTRUCTION. THIS INCLUDES EXCAVATIONS, COLUMNS, EQUIPMENT LOADS, MATERIAL LOADS, AND OTHERS. OBSER-VATIONS BY THE ENGINEER DO NOT INCLUDE INSPECTIONS OF TEMPORARY LOADING AND STABILITY DURING CONSTRUCTION.

SAWN LUMBER:

ALL LUMBER SHALL BE DRY DOUGLAS FIR, WITH MOISTURE CONTENT < 19%, OF THE FOLLOWING GRADES U.N.O.

STUDS, JOISTS, PLATES, HEADERS, BLKG: NO.2 BEAMS AND POSTS: NO.1

PRESSURE-TREATED LUMBER:

ALL LUMBER EXPOSED TO WEATHER AND MOISTURE OR IN CONTACT WITH CONCRETE SHALL BE PRESSURE-TREATED. FOLLOW ALL MFR RECOMMENDATIONS REGARDING COATINGS ON FASTENERS AND LIGHT GAGE PLATE CONNECTORS IN CONTACT WITH TREATED WOOD.

SAWN LUMBER DESIGN IS BASED ON NDS. LUMBER SHALL CONFORM TO WEST COAST LIB OR WWPA GRADING RULES. ALL LUMBER NOT SPECIFICALLY NOTED OTHERWISE SHALL BE DOUG-FIR NO. 2 OR BETTER. ALL WOOD IN PERMANENT CONTACT WITH CONCRETE OR CMU SHALL BE PRESSURE-TREATED, UNLESS AN APPROVED BARRIER IS PROVIDED. FRAMING ACCESSORIES AND FASTENERS SHALL BE MANUFACTURED BY SIMPSON STRONG-TIE CO. OR ENGINEER-APPROVED SUBSTITUTE. HANGERS NOT SPECIFICALLY SHOWN IN THE DRAWINGS SHALL BE "HU" TYPE, OF THE SIZE RECOMMENDED BY SIMP FOR THE MEMBER. ALL FRAMING NAILS SHALL BE COMMON NAILS. NO BOX NAILS ALLOWED U.N.O. FASTENING OF FRAMING ELEMENTS SHALL BE IN ACCORDANCE WITH TABLE 2304.9.1 OF THE OSSC.

ALL LUMBER SHALL BE 15% MAXIMUM MOISTURE CONTENT, OR INSTALLED TO ACCOMMODATE SHRINKAGE ACCORDINGLY.

PLYWOOD PANELS SHALL CONFORM TO APA PERFORMANCE STOS PLIWOUD PANELS SHALL CUPTURM TO APP TERFORMING SIDS.

PANELS SHALL BE APA RATED SHEATHING, EXPOSURE 1, U.N.O. ALLOW 1/8" GAP BETWEEN PANELS U.N.O. ROOF SHEATHING SHALL HAVE BLOCKED PANEL EDGES, TAG EDGES, OR CLIPS. NAILING NOT SPECIFICALLY ADDRESSED ON THE DWGS SHALL COMPLY WITH OSSC TABLE 2304.9.1. PRE-MER' D. TRUSSES:

ALL TRUSSES SHALL BE DESIGNED PER THE NDS AND "DESIGN SPECIFICATIONS FOR LIGHT METAL CONSTRUCTION" BY TPI. TRUSSES SHALL BE FABRICATED ACCURATELY TO PROVIDE TIGHTLY FITTED JOINTS. TRUSSES SHALL BE DESIGNED TO ACCOMMODATE ALL FRAMING HARDWARE AND CONNECTORS SHOWN ON DETAILS. TRUSSES SHALL BEAR ID MARKS. TRUSS MFR SHALL SUPPLY ALL REQ' D. TRUSS-TO-TRUSS CONNECTIONS.

TOP CHORDS SHALL BE MIN 2 X 4 D-F NO. 2 OR BETTER. ALL COMPRESSION CHORDS NOT IN CONTACT WITH SHEATHING SHALL BE BRACED APPROPRIATELY WITH BRACING SUPPLIED BY TRUSS MFR AND SHOWN ON SHOP DRAWINGS. ALL TRUSS CONNECTORS SHALL BE GALVANIZED SHEET METAL CONFORMING TO ASTM A653, GRADE 33.

SHOP DRAWINGS SHALL INCLUDE MFR DATA FOR LUMBER, METAL PLATES, HARDWARE, AND COMPLETE CALCULATIONS FOR EACH TRUSS. DESIGN AND DIMENSIONS SHALL BE BASED ON FIELD MEASUREMENTS (EXCLUDED FROM THE SCOPE OF WORK BY ECEC) CORRESPONDING TO GENERAL PLACEMENTS SHOWN ON ECEC DRAWINGS. SHOP DRAWINGS SHALL INCLUDE A LIST OF DESIGN LOADS USED AND LOAD COMBINA-TIONS USED FOR EACH TRUSS DESIGN, AND SHALL BE STAMPED BY A LICENSED ENGINEER. SHOP DRAWINGS SHALL BE SUBMITTED TO ECEC FOR APPROVAL PRIOR TO FABRICATION.

MIX DESIGN: PREPARE DESIGNS FOR EACH TYPE OF CONCRETE. PROPORTION MIXES BY EITHER LABORATORY TRIAL OR FIELD EXPERIENCE. FURNISH CERTIFIED REPORTS FOR EACH PROP-OSED MIX. AIR ENTRAINING AGENTS PER ASTM C260 AND WATER-REDUCING ADMIXTURE PER ASTM 494, USED ACCORDING TO MFR SPECS. MAY BE INCORPORATED. AIR ENTRAINMENT PER ASTM C260 SHALL BE USED IN MIXES FOR EXTERIOR HORIZONTAL SURFACES EXPOSED TO WEATHER, AND SHALL BE 5%-7% BY VOL. FLY ASH SHALL NOT EXCEED 15% OF CEMENT CONTENT BY WT.

CONCRETE WORK SHALL CONFORM TO ACI 301. STRENGTHS OF PREVIOUS BATCHES OF SAME MIX DESIGN SHALL HAVE BEEN VERIFIED BY STD. 28-DAY CYLINDER TESTS PER ASTM C39 AND PROVIDED BY THE SUPPLIER AS FOLLOWS: - FOOTINGS: 2500 PSI AT 28 DAYS, SLUMP 3" +/- 1"

(NO SPECIAL INSPECTION REQUIRED)
- SLABS: 2500 PSI AT 28 DAYS. REBAR AND WELDED WIRE REINFORCEMENT PER SLAB DESIGNER.

ROOF SHEATHING:

1/2" APA-RATED PLYWOOD WITH EXPOSURE RATING PER ROOFING PRODUCT MANUFACTURER'S SPECS. NATI PANEL EDGES w/ 8d p 6" ON CENTER (12" FIELD), BLOCK PANEL EDGES OR USE SIMP PSCL PANEL CLIPS.

EXTERIOR WALL SHEATHING:

APPLY 1/2" NOMINAL PLYWOOD USING 8d @ 6" o.c. PANEL EDGE NAILING (12" o.c. FIELD NAILING) TO 2X STUDS @ 16" o.c. ALSO SEE SHEAR WALL SCHEDULE.

FLOOR SHEATHING:

APPLY 3/4" NOMINAL PLYWOOD USING 10d @ 6" o.c. PANEL EDGE NAILING (12" FIELD NAILING) TO 2X JOISTS @ 16" o.c.

RECOMMENDED PRACTICE IN EXCESS OF CODE: APPLY 3/8" BEAD OF HEAVY DUTY POLY-URETHANE CONSTRUCTION ADHESIVE TO CLEAN DRY JOIST SURFACES AND FASTEN PANELS USING #7 X 3-1/2" DECK SCREWS @ 6" o.c. ALONG ALL JOISTS.

CODE SUMMARY:

OCCUPANCY: U CONSTRUCTION TYPE: VB SPRINKLERS: NO 1 LEVEL

TOTAL: 2257 SQ.FT.

ENERGY SUMMARY:

R-27 EXTERIOR 2 X 8 WALLS R-21 INTERIOR 2 X 6 WALLS R-25 VAULTED CEILINGS

U = 0.35 MIN WINDOWS

R-15 FLOOR SLAB EDGE PERIMETER

U = 0.20 EXTERIOR DOORS

ALL NAILS SHALL BE COMMON (U.N.O) w/ Fyb = 90 KSI ALL BOLTS AND THREADED RODS SHALL BE A307 OR BETTER PRE-DRILL 70% OF SHANK DIAMETER FOR LAG SCREWS ALL LIGHT GAGE METAL CONNECTORS SHALL BE BY SIMPSON-STRONGTIE AND INSTALLED PER MFR SPECIFICATIONS. MATCH FASTENER FINISHES TO WOOD PRESERVATIVES AND TREATMENTS TO PREVENT CORROSION.

DEFERRED SUBMITTALS: TRUSS SHOP DRAWINGS, REVIEWED AND APPROVED BY ECEC, SHALL BE SUBMITTED FOLLOWING PERMIT ISSUANCE

JIAL INSPECTIONS:
SPECIAL INSPECTIONS SHALL BE PERFORMED IN ACCORDANCE
WITH CHAPTER 17 OF THE IBC AND APPLICABLE SECTIONS
OF THE PROJECT SPECIFICATIONS. SPECIAL INSPECTIONS
ARE TO BE PERFORMED BY AN INDEPENDENT TESTING LABORATORY EMPLOYED BY THE OWNER FOR THE FOLLOWING AREAS
OF MODIFY.

- NONE REQUIRED

	HOLD	OWN SCHED	ULE		
HOLDOWN TYPE/MARK	HOLDOWN & VALUE	END LENGTH	MINIMUM MEMBER	FASTENERS REQ' D	ANCHOR ROD DIA
⟨Ā⟩	SIMPSON HDU2-SDS2.5 HOLDOWN	N/A 3075 LBS	(2) 2X	(6) 1/4" X 1-1/2" SIMPSON SDS SCREWS	5/8" A307
\(\frac{\(\)}{\(\)}\)	SIMPSON HDU8-SDS2.5 HOLDOWN	N/A 6970 LBS	3-1/2"	(20) 1/4" X 2-1/2" SIMPSON SDS SCREWS	7/8* A307

SHEARWALL SCHEDULE								
SHEARWALL TYPE/MARK	SHEAR SEIS/WIND	SHEATHING / FRAMING	PANEL FASTENERS	SILL PLATE / ANCHORAGE	TOP/BTM PLAT			
1	280 PLF / 392 PLF	15/32" APA-RATED STRUCTURAL I SHEATHING ON 2X STUDS # 16"	8d COMMONS @ 6" PANEL EDGE NAILING (12" FIELD NAILING).	P.T. 3X WITH 1/2" A307 ANCHORS # 4'-0"	16d COMMONS e 6"			
2	430 PLF / 602 PLF	15/32" APA-RATED STRUCTURAL I SHEATHING ON 2X STUDS @ 16"	8d COMMONS æ 4" PANEL EDGE NAILING (12" FIELD NAILING). BLOCK ALL PANEL EDGES.	P.T. 3X WITH 1/2" A307 ANCHORS e 4'-0"	16d COMMONS e 4"			
3	320 PLF / 320 PLF	1/2" GYP WALLBOARD SHEATHING BOTH SIDES OF 2X STUDS @ 16"	#6 TYPE S X 1-1/4" # 4" PANEL EDGE FASTENERS. (12" FIELD NAILING). BLOCK ALL PANEL EDGES.	P.T. 2X WITH 1/2" A307 ANCHORS e 6'-0"	16d COMMONS e 6"			
4	860 PLF / 1200 PLF	15/32" APA-RATED STRUCTURAL 1 SHEATHING ON 4X STUDS № 16" BOTH SIDES OF WALL	8d COMMONS @ 4" PANEL EDGE NAILING (12" FIELD NAILING). BLOCK ALL PANEL EDGES.	P.T. 3X WITH (2) 1/2" A307 ANCHORS • EA PILLAR	16d COMMONS e 2"			





MOREL AND OREGON NOSNHON PORTLAND, Ž 23414

SIZE: SCALE: PRINT REVISI

REV:

SHEET: